A Double-Blind Peer Reviewed & Refereed Journal



Reg. No. : MH-NGP/090011

INTERNATIONAL JOURNAL OF RESEARCHES IN BIOSCIENCES, AGRICULTURE AND TECHNOLOGY

© www.ijrbat.in

STUDIES ON MONTHLY VARIATIONS IN D. O, B.O.D. AND C.O.D. PARAMETERS OF BORI RESERVOIR NEAR NALDURG, DIST. OSMANABAD. MAHARASHTRA.

H. K. Jadhav

P.G. Department of Zoology Arts, Science and Commerce College, Naldurg. Dist. Osmanabad. (M.S.) 413602. E.mail:- hansrajjadhav11@gmail.com.

ABSTRACT

In the present communication the scientific study was conducted to determine the monthly variation in dissolved oxygen, biological oxygen demand and chemical oxygen demand parameters of Bori Reservoir near Naldurg, Dist. Osmanabad. Maharashtra. The work was carried out during the year 2020 (January to December.) The scientific investigation shows that, the minimum D.O. values were recorded in winter and minimum in summer. The Biological oxygen demand and Chemical oxygen demand values were observed more during monsoon than winter and summer.

Keywords - Bori Reservoir near Naldurg -B.O.D.- C.O.D. D.O. - Monthly Variation.

INTRODUCTION:

Today's world facing the problems of water scarcity & water pollution. Water quality of any water body is measured in terms of parameters like Dissolved Oxygen. Biological Oxygen Demand and Chemical Oxygen Demand. D.O. is and important parameters which is an index of water quality resistant substances in water. According to Khube and Durgapal (1993), higher values of C.O.D. indicate higher microbial activities.

MATERIALS AND METHODS:

For the scientific study the three sampling stations were fixed i.e. stations 'A' (centre of tank), station B (Near wall of the tank) stations 'C' (Near tail site). The monthly sample collected from the sampling sites A, B and C for a year. Water samples were collected & brought to the laboratory and analyzed with the help of Winkler's Idomatric method in the laboratory for D.O. and B.O.D. Similarly, C.O.D. was measured by using Dichromate digestion method. Samples were collected digestion method. Samples were collected in dark bottles, incubated 200 °C for five days.

RESULT AND DISCUSSION:

Samples were collected and brought to the laboratory for analysis and find out the results of D.O. C.O.D. & B.O.D.

DISSOLVED OXYGEN: - In the present investigation on the D.O. values varies from 4.0 to 8.8 mg/lit. The high values were recorded in the winter and lowest value was recorded in summer months. Reading gives in table No. Ist same observations was observed by Hancock (1973), Mishra and Yadav (1978), Adebisi (1981) and Mitra (1982) the result gives in Table No. Ist.

BIOLOGICAL OXYGEN DEMAND :- (B.O.D.) It is an indicator parameter which indicated the presence of biological matter in the water and express degree of contamination. In the present work the range of B.O.D. was 4.7 to 26.8 mg/lit. the maximum during monsoon and minimum in winter similar observations observed by Singhai et al (1990) and Patki (2002), Jadhav R.R. (2011) the result gives in Table No. IInd.

CHEMICAL OXYGEN DEMAND (C.O.D.):- The C.O.D. test determines the Oxygen required for chemical oxidation matter with the help of strong chemical oxidation matter with the oxidant. In the present study values varies from 5.3 to 55.6 mg/lit.

The maximum values of C.O.D. were noted in monsoon may be due to inflow of organic dead matter and minimum values are in winter may be due to settlement & dilution effect. Kudesi et al (1986), also observed similar results mean values of C.O.D. shows in table – III.

ACKNOWLEDGEMENT

The Author is thankful to the Principal, Dr. Sanjay L. Korekar for providing necessary library & Laboratory facilities.

REFERENCES


- Adebisi, A. A. (1981) :- The Physico Chemical hydrology of a tropical seasonal river upper ogun river Nigeria hydrobiologia 79 (2), 157-165.
- Hancock, F.D. (1973)- Algal ecology of stream polluted through gold mining in winter water strand Hydrobiologia- 43.189-229.
- Jadhav R.R. (2011) study of monthly variations in D.O. B.O.D. and C.O.D. parameters of Bori Dam, NaldurgDist-Osmanabad JSI Vol. 3(2) Feb 2013.

Khulbe R.D. and Durgapoal A (1993) – Evaluation of drinking water quality at Bhimtal U.P. Poll. Res. 5:21 (2) : 109-111.

ACCES

- Kudesi V.P. and Verma S.P. (1986) Physicochemical studies an industrial pollution of Kalindi due to combined effluents of Cansugar, chemical industry distillery and rubber industry in meerut region Ind. J. Envi. Agri 1(1): 1-11.
- Mishra G.P. and Yadav A.K. (1978) A comparative study of Physico – chemical characteristics of river and lake water of physic chemical characteristics of river and lake water in central India. Hydrobiologia, 59 (30), 275-278.
- Mitra A.K. (1982)- chemical characteristics of surface water at a selected sampling stations in the river Godavari, Krishna &Tungbhadra. Ind. J. Envi. Health 24 (2) : 165-278.
- Patki Saroj (2002)- Hydrobiological studies of Banshelki dam at Udgir Thesis submitted to Dr. Babasahe Ambedkar Marutnwada-University, Aurangabad.
- Singhai S Ramni M.A. and Gupta U.S. (1990) Seasonal variations and relationship of different Physico-chemical characteristics in newly made town reservoir Limnological (Berlin 2 (1): 293-301.






| Figure No. 1: Monthly mean va | alues of $D \cap (mg/lit)$ of water | samples at various | sampling stations (2020) |
|-------------------------------|-------------------------------------|--------------------|---------------------------|
| riguit no. 1. Montiny mean ve | and s of D.O. (mg/m.) of water | samples at various | sampning stations (2020). |

| Sr. No. | Months | Station A | Station B | Station C |
|---------|-----------|-----------|-----------|-----------|
| 1 | Jan - 20 | 8.7 | 8.6 | 8.5 |
| 2 | Feb - 20 | 7.7 | 7.8 | 7.6 |
| 3 | Mar - 20 | 6.1 | 6.2 | 6.2 |
| 4 | Apr - 20 | 4.1 | 4.0 | 4.0 |
| 5 | May - 20 | 4.1 | 4.2 | 4.1 |
| 6 | June - 20 | 4.6 | 4.5 | 4.5 |
| 7 | July - 20 | 5.3 | 5.2 | 5.1 |
| 8 | Aug - 20 | 5.6 | 5.3 | 5.4 |
| 9 | Sept - 20 | 6.1 | 6.1 | 6.0 |
| 10 | Oct - 20 | 7.2 | 7.3 | 7.2 |
| 11 | Nov - 20 | 8.6 | 8.5 | 8.4 |
| 12 | Dec - 20 | 8.8 | 8.7 | 8.6 |







| Table No. II: Monthly mean values of B.O. D. | (mg/lit.) of water samples at | various sampling stations (2020). |
|--|-------------------------------|-----------------------------------|
| | | I 3 |

| Sr. No. | Months | Station A | Station B | Station C |
|---------|-----------|-----------|-----------|-----------|
| 1 | Jan - 20 | 10.7 | 10.5 | 10.5 |
| 2 | Feb - 20 | 11.0 | 11.2 | 11.4 |
| 3 | Mar - 20 | 11.6 | 11.6 | 11.8 |
| 4 | Apr - 20 | 12.6 | 12.5 | 12.4 |
| 5 | May - 20 | 15.2 | 15.3 | 15.5 |
| 6 | June - 20 | 18.1 | 18.3 | 18.5 |
| 7 | July - 20 | 26.8 | 26.7 | 26.7 |
| 8 | Aug - 20 | 25.5 | 25.5 | 24.8 |
| 9 | Sept - 20 | 25.6 | 24.8 | 24.8 |
| 10 | Oct - 20 | 11.5 | 12.5 | 12.6 |
| 11 | Nov - 20 | 8.1 | 8.2 | 8.2 |
| 12 | Dec - 20 | 4.8 | 4.8 | 4.7 |



Figure No. 2.




Table No. III: Monthly mean values of C.O. D. (mg/lit.) of water samples at various sampling stations (2020).

| Sr. No. | Months | Station A | Station B | Station C |
|---------|-----------|-----------|-----------|-----------|
| 1 | Jan - 20 | 5.3 | 5.4 | 5.3 |
| 2 | Feb - 20 | 6.5 | 6.7 | 7.8 |
| 3 | Mar - 20 | 10.5 | 9.8 | 9.8 |
| 4 | Apr - 20 | 20.6 | 21.2 | 21.4 |
| 5 | May - 20 | 34.1 | 34.2 | 33.3 |
| 6 | June - 20 | 46.2 | 46.4 | 46.5 |
| 7 | July - 20 | 47.5 | 47.4 | 47.3 |
| 8 | Aug - 20 | 55.5 | 55.4 | 55.6 |
| 9 | Sept - 20 | 50.6 | 50.4 | 50.6 |
| 10 | Oct - 20 | 44.5 | 44.4 | 44.3 |
| 11 | Nov - 20 | 30.4 | 30.5 | 31.2 |
| 12 | Dec - 20 | 20.6 | 20.4 | 20.3 |

 $_{\rm Page}349$